




## FRAGOS™ FLOW CHART

WEB SITE ORDERING, REMOTE ACCESS ORDERING,  
FILE TRANSFER PROTOCOL (FTP) ORDERING OR  
EMAIL ORDERING FROM THE COMPUTER.



**FIG. 1-1**

**FIG. 1**

FRAGOS™ FLOW CHART CONT.




FIG. 1-2

FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6

FIG. 7-1

FIG. 7-2

FIG. 7-3

FIG. 7-4

FIG. 7-5

FIG. 7-6

FIG. 7-7

FIG. 7-8

FIG. 7-9

FIG. 7-10

FIG. 7-11

FIG. 7-12

FIG. 7-13

FIG. 7-14

**FIG. 7**

Field Name	Field Type	Formula/Entry Option
Address1	Text	Indexed
Address2	Text	Indexed
Address3	Text	Indexed
Address4	Text	
AddressBlock	Calculation(Text)	= If>Title2 ≠ Empty, "¶", Empty) & If(Legal Entity ≠ Empty, AddressBlockEur, If(Sector Name ≠ Empty, Sector Name Calc & "¶", Empty) & If( [REDACTED] ≠ Empty, [REDACTED] & "¶", Empty) & If(Group Name ≠ Empty, Group Name & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(City ≠ Empty, City & " " & Empty) & If(State ≠ Empty, StateForAddressBlock & " ", Empty) & If(Zip Code ≠ Empty, Zip Code & "¶", Empty & "¶") & If(DirectDial ≠ Empty, "phone" & " " & DirectDial & "¶", Empty) & If(Fax ≠ Empty, "fax" & " " & Fax & "¶", Empty) & If(Mobile ≠ Empty, "cellular" & " " & Mobile & "¶", Empty) & If(Pager ≠ Empty, "pager" & " " & Pager & "¶", Empty) & If>Email ≠ Empty, Email. " " & "¶")
AddressBlock for Large Label Calculation(Text)		= Company Name & "¶" & Name & "¶" & If(Legal Entity ≠ Empty, AddressBlockEurLabels, If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(City ≠ Empty, City & " " & Empty) & If(State ≠ Empty, State & " ", Empty) & If(Zip Code ≠ Empty, Zip Code, Empty))
AddressBlockEur	Calculation(Text)	= If(Legal Entity ≠ Empty, Legal Entity & "¶", Empty) & If(Sector Name ≠ Empty, Sector Name Calc & "¶", Empty) & If( [REDACTED] ≠ Empty, [REDACTED] & "¶", Empty) & If(Group Name ≠ Empty, Group Name & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(Address4 ≠ Empty, Address4 & "¶", Empty) & If(Zip Code ≠ Empty, Zip Code & " " & " ", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(Country ≠ Empty, Country & "¶", Empty) & If(DirectDial ≠ Empty, "tel" & " " & DirectDial & "¶", Empty) & If(Fax ≠ Empty, "fax" & " " & Fax & "¶", Empty) & If(Mobile ≠ Empty, "mobile" & " " & Mobile & "¶", Empty) & If(Pager ≠ Empty, "pager" & " " & Pager & "¶", Empty) & If>Email ≠ Empty, Email. " " & "¶")
AddressBlockEurLabels	Calculation(Text)	= If(Legal Entity ≠ Empty, Legal Entity & "¶", Empty) &

Field Name	Field Type	Formula/Entry Option
		If(Address1#Empty , Address1 & "¶",Empty) & If(Address2#Empty , Address2 & "¶",Empty) & If(Address3#Empty , Address3 & "¶",Empty) & If(Zip Code#Empty , Zip Code & " , " ,Empty) & If(City#Empty , City & " , " ,Empty) & If(Country#Empty , Country & "¶",Empty)
BCard01	Calculation(Text)	<p>= "open" &amp; Quote &amp; " [REDACTED] " &amp; Quote &amp; "¶" &amp;</p> <p>"measureunits 3,3,10" &amp; "¶" &amp;</p> <p>"select 16p5,11p10" &amp; "¶" &amp;</p> <p>"textedit" &amp; "¶" &amp;</p> <p>"selectall" &amp; "¶" &amp;</p> <p>If(Name#Empty, "textenter" &amp; Quote &amp; NameTitle &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶") &amp;</p> <p>"textcursor -textblock" &amp; "¶" &amp;</p> <p>"textselect+eol" &amp; "¶" &amp;</p> <p>"font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp;</p> <p>"select 17p7,16p7" &amp; "¶" &amp;</p> <p>"textedit" &amp; "¶" &amp;</p> <p>"selectall" &amp; "¶" &amp;</p> <p>"textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" &amp;</p> <p>"textcursor -textblock" &amp; "¶" &amp;</p> <p>"textselect+eol 2" &amp; "¶" &amp;</p> <p>"font" &amp; Quote &amp; "CorporateSExpBQ-Medium" &amp; Quote &amp; "¶" &amp;</p> <p>"select 16p5,11p10" &amp; "¶" &amp;</p> <p>"textedit" &amp; "¶" &amp;</p> <p>"selectall" &amp; "¶" &amp;</p> <p>"textcursor-textblock" &amp; "¶" &amp;</p> <p>"textselect+eol" &amp; "¶" &amp;</p> <p>"Color" &amp; Qoute &amp; "PANTONE 471 CV" &amp; Qoute &amp; "¶" &amp;</p> <p>"select 17p7,16p7" &amp; "¶" &amp;</p> <p>"textedit" &amp; "¶" &amp;</p> <p>"selectall" &amp; "¶" &amp;</p> <p>"textcursor-textblock" &amp; "¶" &amp;</p> <p>"textselect+eol" 2 &amp; "¶" &amp;</p> <p>"Color" &amp; Qoute &amp; "PANTONE 471 CV" &amp; Qoute &amp; "¶" &amp;</p> <p>"select 16p5,11p10" &amp; "¶" &amp;</p> <p>"textedit" &amp; "¶" &amp;</p> <p>"textcursor+line" &amp; "¶" &amp;</p> <p>"textselect+textblock" &amp; "¶" &amp;</p>

FIG. 7-2

Field Name	Field Type	Formula/Entry Option
		<pre> "Sizebump downone" &amp; "¶" &amp; "select 16p5,11p10" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 17p7,16p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 17p7,16p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor +textblock" &amp; "¶" &amp; "textselect-eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Regular" &amp; Quote &amp; "¶" &amp; "select 68p6,1p11" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Qoute &amp; (PlateRefNum) &amp; Qoute &amp; "¶" </pre>
	Calculation(Text)	<pre> =If(Item Ordered="Business Cards", "open" &amp; Quote &amp; "¶" &amp; "Business Card" &amp; "¶" &amp; Qoute &amp; "¶" &amp; "measureunits 3,3,10" &amp; "¶" &amp; "select 16p5,11p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; If(Name ≠ Empty,"textenter" &amp; Quote &amp; Name Title &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶") &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 17p5,16p3" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" ,Empty) &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol2" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; </pre>

FIG. 7-3

Field Name	Field Type	Formula/Entry Option
		<pre> "select 16p5,11p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor+line" &amp; "¶" &amp; "textselect+textblock" &amp; "¶" &amp; "Sizebump downone" &amp; "¶" &amp; "select 17p5,16p3" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 16p5,11p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 17p5,16p3" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor +textblock" &amp; "¶" &amp; "textselect - eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Regular" &amp; Quote &amp; "¶" &amp; "select 71p3,2p3" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; (PlateRefNum) &amp; Quote &amp; "¶" </pre>
	Calculation(Text)	<pre> ="open" &amp; Quote &amp; "§" &amp; Qoute &amp; "¶" &amp; "measureunits 3,3,10" &amp; "¶" &amp; "select 16p3,11p3" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; If(Name ≠ Empty, "textenter" &amp; Quote &amp; Name Title &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶" &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 17p2,16p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" &amp; "textcursor -textblock" &amp; "¶" &amp; </pre>

FIG. 7-4

Field Name	Field Type	Formula/Entry Option
		"textselect+eol2" &"¶" & "font" & Quote & "CorporateSExpBQ-Medium" & Quote &"¶" & "select 16p3,11p3" &"¶" & "textedit" &"¶" & "selectall" &"¶" & "textcursor -textblock" &"¶" & "textselect+eol" &"¶" & "Color" & Quote & "PANTONE 471CV" & Quote &"¶" & "select 17p2,16p7" &"¶" & "textedit" &"¶" & "selectall" &"¶" & "textcursor -textblock" &"¶" & "textselect+eol2" &"¶" & "Color" & Quote & "PANTONE 471CV" & Quote &"¶" & "select 16p3,11p3" &"¶" & "textedit" &"¶" & "textcursor+line" &"¶" & "textselect+textblock" &"¶" & "Sizebump downone" &"¶" & "select 16p3,11p3" &"¶" & "textedit" &"¶" & "selectall" &"¶" & "KernText 0.025" &"¶" & "select 17p2,16p7" &"¶" & "textedit" &"¶" & "selectall" &"¶" & "KernText 0.025" &"¶" & "select 17p2,16p7" &"¶" & "textedit" &"¶" & "textcursor +textblock" &"¶" & "textselect - eol" &"¶" & "font" & Quote & "CorporateSBQ-Regular" & Quote &"¶" & "select 71p5,2p5" &"¶" & "textedit" &"¶" & "selectall" &"¶" & "textenter" & Quote & (PlateRefNum) & Quote &"¶"

FIG. 7-5

Field Name	Field Type	Formula/Entry Option
	Calculation(Text)	<pre>=If (Item Ordered="Business Cards", "open" &amp; Quote &amp; [REDACTED] &amp; Qoute &amp; "¶" &amp; "measureunits 3,3,10" &amp; "¶" &amp; "select 16p6,10p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; If (Name ≠ Empty, "textenter" &amp; Quote &amp; NameTitle &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶") &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 17p6,15p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" &amp; ,Empty) &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" 2 &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSExpBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 16p6,10p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor+line" &amp; "¶" &amp; "textselect+textblock" &amp; "¶" &amp; "Sizebump downone" &amp; "¶" &amp; "select 16p6,10p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 17p6,15p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 17p6,15p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor +textblock" &amp; "¶" &amp; "textselect - eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Regular" &amp; Quote &amp; "¶" &amp; "select 72p2,1p8" &amp; "¶" &amp;</pre>

FIG. 7-6

Field Name	Field Type	Formula/Entry Option
BCard02	Calculation(Text)	<pre> "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; (PlateRefNum) &amp; Quote &amp; "¶" = "measureunits 3,3,10" &amp; "¶" &amp; "select 16p10,32p11" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; If(Name ≠ Empty, "textenter" &amp; Quote &amp; Name Title &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶") &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 17p6,37p10" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSExpBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 16p10,32p11" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textcursor-textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "Color" &amp; Quote &amp; "PANTONE 471 CV" &amp; Qoute &amp; "¶" &amp; "select 17p6,37p10" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textselect-textblock" &amp; "¶" &amp; "textselect+eol 2" &amp; "¶" &amp; "Color" &amp; Quote &amp; "PANTONE 471 CV" &amp; Quote &amp; "¶" &amp; "select 16p10,32p11" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor+line" &amp; "¶" &amp; "textselect+textblock" &amp; "¶" &amp; "Sizebump downone" &amp; "¶" &amp; "select 17p6,37p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; </pre>

FIG. 7-7

Field Name	Field Type	Formula/Entry Option
		<pre> "KernText 0.025" &amp; "¶" &amp; "select 16p10,32p11" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 17p6,37p10" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor +textblock" &amp; "¶" &amp; "textselect - eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Regular" &amp; Quote &amp; "¶" </pre>
[REDACTED]	Calculation(Text)	<pre> ="measureunits 3,3,10" &amp; "¶" &amp; "select 16p7, 32p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; If(Name ≠ Empty, "textenter" &amp; Quote &amp; Name Title &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶") &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 16p9,37p1" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" &amp; "textcursor -textblock" &amp; "¶" &amp; "textselect+eol" 2 &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSExpBQ-Medium" &amp; Quote &amp; "¶" &amp; "select 16p7,32p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor+line" &amp; "¶" &amp; "textselect+textblock" &amp; "¶" &amp; "Sizebump downone" &amp; "¶" &amp; "select 16p9,37p1" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 16p7,37p1" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; </pre>

FIG. 7-8

Field Name	Field Type	Formula/Entry Option
	Calculation(Text)	<pre> "KernText 0.025" &amp; "¶" &amp; "select16p9,37p1" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor +textblock" &amp; "¶") &amp; "textselect - eol" &amp; "¶" &amp; "textselect+eol" 2 &amp; "¶" &amp; "Color" &amp; Quote &amp; "PANTONE 471CV" &amp; Quote &amp; "¶" &amp; "select64p11,95p1" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor+line" &amp; "¶" &amp; "textselect+textblock" &amp; "¶" &amp; "Sizebump downone" &amp; "¶" &amp; "select 65p2,99p4" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select 64p11,95p1" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "KernText 0.025" &amp; "¶" &amp; "select65p2,99p4" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "textcursor +textblock" &amp; "¶") &amp; "textselect - eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select64p9,94p8" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; If(Name ≠ Empty, "textenter" &amp; Quote &amp; Name Title &amp; Quote &amp; "¶", "textenter" &amp; Quote &amp; " " &amp; Quote &amp; "¶") &amp; "textcursor -textblock" &amp; "¶") &amp; "textselect+eol" &amp; "¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Medium" &amp; Quote &amp; "¶" &amp; "select65p6,99p7" &amp; "¶" &amp; "textedit" &amp; "¶" &amp; "selectall" &amp; "¶" &amp; "textenter" &amp; Quote &amp; Trim(AddressBlock) &amp; Quote &amp; "¶" &amp; "textcursor -textblock" &amp; "¶") </pre>

FIG. 7-9

Field Name	Field Type	Formula/Entry Option
		<pre> "textselect+eol"2 &amp;"¶" &amp; "font" &amp; Quote &amp; "CorporateSExpBQ-Medium" &amp; Quote &amp;"¶" &amp; "select 64p9,94p8" &amp;"¶" &amp; "textedit" &amp;"¶" &amp; "textcursor+line" &amp;"¶" &amp; "textselect+textblock" &amp;"¶" &amp; "Sizebump downone" &amp;"¶" &amp; "select 65p6,99p7" &amp;"¶" &amp; "textedit" &amp;"¶" &amp; "selectall" &amp;"¶" &amp; "KernText 0.025" &amp;"¶" &amp; "select 64p9,94p8" &amp;"¶" &amp; "textedit" &amp;"¶" &amp; "selectall" &amp;"¶" &amp; "KernText 0.025" &amp;"¶" &amp; "select 65p6,99p7" &amp;"¶" &amp; "textedit" &amp;"¶" &amp; "textcursor +textblock" &amp;"¶" &amp; "textselect - eol" &amp;"¶" &amp; "font" &amp; Quote &amp; "CorporateSBQ-Regular" &amp; Quote &amp;"¶" &amp; </pre>
City	Text	Indexed
Company Name	Calculation(Text)	<pre> Indexed =If(Sector Name="████████",Sector Name,If(Sector Name= "████████",Sector Name,If(Sector Name="████████", "████████",Sector Name,"████████")))) </pre>
Country	Text	Indexed
Date Created	Date	<p>Auto-enter the:"Creation Date"</p> <p>Prevent data that is automatically entered from being changed.</p> <p>Indexed</p>
Date Modified	Date	<p>Auto-enter the:"Modification Date"</p> <p>Prevent data that is automatically entered from being changed</p>
DirectDial	Text	
DupYesNo	Text	
Email	Text	Indexed
emailcalc	Calculation(Text)	=If(Length>Email)>32,"too many characters",Empty)
EmailInstructions	Text	

FIG. 7-10

Field Name	Field Type	Formula/Entry Option
Empty	Text	
FAEC Comments	Text	Indexed
Fax	Text	
Group Name	Text	Indexed
InternationalCode	Text	
IPAddress	Text	
Item Ordered	Text	Auto-enter:"Business Cards" Repeating field with 3 repetitions
Job Ticket	Text	
Legal Entity	Text	Indexed
Local Code	Text	
Mobile	Text	Indexed
Name	Text	Indexed
Name Title	Calculation(Text)	=Name&"\t"& Title&"\t"& Title2&"\t"
NewPlateNum	Number	Auto-enter:"26"
Pager	Text	
PlateRefNum	Text	Indexed
Quantity Ordered	Number	Auto-enter:"250" Indexed ="*****"
Quote	Calculation(Text)	
Record Modified	Text	Auto-enter calculation=If(IsEmpty(FAEC Comments), "", "x")
Record Number	Number	Serial Number with Current Value: "1" Increment: "1" Prevent data that is automatically entered from being changed. Indexed
Sector Name	Text	Indexed
Sector Name Calc	Calculation(Text)	=If(Sector Name="████████", ████████,If(Legal Entity ≠ Empty and Sector Name ██████ Empty , Sector Name))
SenttoFilm	Text	Auto-enter:"No" Value List(Custom Values): Yes

FIG. 7-11

Field Name	Field Type	Formula/Entry Option
		No
		Indexed
SenttoFilmDate	Date	Indexed
ShipAddress	Text	Indexed
ShipAddressCalc	Calculation(Text)	Indexed =If(ShipSameAsOrder="Yes",Address1&""&Address2 &""&Address3,ShipAddress)
ShipCity	Text	Indexed
ShipCityCalc	Calculation(Text)	Indexed =If(ShipSameAsOrder="Yes",City,ShipCity)
ShipCountry	Text	
ShipCountryCalc	Calculation(Text)	Indexed =If(ShipSameAsOrder="Yes",Country,ShipCountry)
ShipName	Text	Indexed
ShipNameCalc	Calculation(Text)	Indexed =If(ShipSameAsOrder="Yes",Name,ShipName)
ShipSameAsOrder	Text	Indexed
ShipState	Text	Indexed
ShipStateCalc	Calculation(Text)	Indexed =If(ShipSameOrder="Yes",State,ShipState)
ShipZip	Text	
ShipZipCalc	Calculation(Text)	Indexed =If(ShipSameAsOrder="Yes",Zip Code,ShipZip)
SpareDate1	Date	
SpareDate2	Date	
SpareGlobalContain	Global(Container)	
SpareGlobalDate	Global(Date)	
SpareGlobalNum	Global(Number)	
SpareGlobalText	Global(Text)	
SpareGlobalTime	Global(Time)	
SpareNum2	Number	
SpareText1	Text	
SpareText2	Text	
SpareTime1	Time	
SpareTime2	Time	
Special Instructions	Text	Indexed
State	Text	Indexed
StateCalc	Calculation(Text)	=If(State="AL,"Alabama",If(State="AK","Alaska",If(State="AZ",

FIG. 7-12

FIG. 7-13

Field Name	Field Type	Formula/Entry Option
		OK
		Void
		Manual Type
		Follow up
		ReRun
		Translation Done
		Indexed
Webaddress	Text	
Zip Code	Text	Indexed

**FIG. 7-14**

FIG. 8-1

FIG. 8-2

FIG. 8-3

FIG. 8-4

FIG. 8-5

FIG. 8-6

FIG. 8-7

FIG. 8-8

FIG. 8-9

FIG. 8-10

**FIG. 8**

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>

<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="GENERATOR" content="Microsoft FrontPage2.0">
<title>[REDACTED]</title>
</head>

<body background="images/background.gif" bgcolor="#FFFFFF">

<h1 align="center">[REDACTED]</h1>

<p><br>
</p>

<h2 align="center">All fields with gold arrows()
are required.<br>
Other items are optional.</h2>

<CENTER>
<TABLE BORDER=0 CELLPADDING=15><TR><TH>
<FONT COLOR="#FF0000">
Type in upper and lower case.<BR>DO NOT TYPE IN ALL CAPS.
</FONT>
</TH></TR></TABLE>
</CENTER>

<hr size=1>

<form action="FMPro" method="POST">
<input type="hidden" name="-db" value="[REDACTED]"/>
<input type="hidden" name="-format" value="[REDACTED]"/>
<input type="hidden" name="-error" value="gb_err.htm">
<input type="hidden" name="-lay" value="Order Form">

<!--TABLE ORDER START-->
```

FIG. 8-1

```

<TABLE BORDER=0 CELLPADDING=3 CELLBORDER=0 CELLSPACING=1>

<TR>
<TD VALIGN=TOP ALIGN=RIGHT></TD>
<TD VALIGN=TOP COLSPAN=2>
<b>Ordering Info:</b>
</TD>

</TR><TR>

<TD VALIGN=TOP ALIGN=RIGHT></TD>
<TD VALIGN=TOP>Item Ordered:</TD>
<TD VALIGN=TOP><input type="checkbox" checked name="Item Ordered"
value="Business Cards">Business Cards</TD>

</TR><TR>

<TD VALIGN=TOP ALIGN=RIGHT></TD>
<TD VALIGN=TOP>Quantity Ordered:</TD>
<TD VALIGN=TOP>
<input type="radio" checked name="Quantity Ordered" value="250">250 @
[REDACTED] + taxes and shipping.<BR>
<input type="radio" checked name="Quantity Ordered" value="500">500@
[REDACTED] + taxes and shipping.<BR>
<input type="radio" checked name="Quantity Ordered" value="1000">1000@
[REDACTED] + taxes and shipping.<BR>
<input type="radio" name="Quantity Ordered" value="Other">Other(Please order in units of
500)<BR>

```

If Other, please specify:

```

<input type="text" size=10 name="Quantity Ordered">

<BR>
(Additional charges will apply for special instructions and translation).<BR>
<PRE><BR></PRE>

```

FIG. 8-2

```
</TD>

</TR><TR>

<TD ALIGN=RIGHT></TD>
<TD>Name(First Middle Last):</TD>
<TD><input type="text" size="30" maxlength="30" name="Name"></TD>

</TR><TR>

<TD></TD>
<TD>Title Line1:</TD>
<TD><input type="text" size="30" maxlength="30" name="Title"> (see * below)</TD>

</TR><TR>

<TD></TD>
<TD>Title Line2:</TD>
<TD><input type="text" size="30" maxlength="30" name="Title2"></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>
<blockquote>
  <p>*</p>
  [REDACTED]
</p>
</blockquote>
</TD>

</TR><TR>
```

FIG. 8-3

```
<TD></TD>
<TD>Organizational Name:</TD>
<TD><input type="text" size="40" name="Sector Name" value="████████"></TD>

</TR><TR>

<TD></TD>
<TD>Group Name:</TD>
<TD><input type="text" size="40" name="Group Name" value=""></TD>
</TR><TR>

<TD></TD>
<TD>Address Line1:</TD>
<TD><input type="text" size="30" maxlength="30" name="Address1"></TD>

</TR><TR>

<TD></TD>
<TD>Address Line2:</TD>
<TD><input type="text" size="30" maxlength="30" name="Address2"></TD>

</TR><TR>

<TD></TD>
<TD>Address Line3:</TD>
<TD><input type="text" size="30" maxlength="30" name="Address3"></TD>

</TR><TR>

<TD></TD>
<TD>City:</TD>
<TD><input type="text" size="30" name="City"></TD>

</TR><TR>

<TD></TD>
<TD>State:</TD>
<TD><input type="text" size="25" name="State"></TD>

</TR><TR>
```

FIG. 8-4

```
<TD></TD>
<TD>ZipCode:</TD>
<TD><input type="text" size="24" name="ZipCode"></TD>

</TR><TR>

<TD></TD>
<TD>Phone:</TD>
<TD><input type="text" size="24" name="DirectDial"></TD>

</TR><TR>

<TD></TD>
<TD>Fax:</TD>
<TD><input type="text" size="24" name="Fax"></TD>

</TR><TR>

<TD></TD>
<TD>Mobile:</TD>
<TD><input type="text" size="25" name="Mobile"></TD>

</TR><TR>

<TD></TD>
<TD>Pager:</TD>
<TD><input type="text" size="24" name="Pager"></TD>

</TR><TR>

<TD></TD>
<TD>Email Address:</TD>
<TD><input type="text" size="50" name="Email"><BR>(see ** below)</TD>

</TR><TR>
```



FIG. 8-5



</TR><TR>

<TD COLSPAN=3>

<hr size=1>

</TD>

**BEST AVAILABLE COPY**

</TR><TR>

<TD></TD>

<TD COLSPAN=2><b>Translation and back of card Info:</b></TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Font of Card Language</TD>

<TR></TR>

<TD></TD>

<TD COLSPAN=2>

<input type="radio" name="TranslationFrontDummy" value="english" checked>

Produce as typed.<BR>

<input type="radio" name="TranslationFrontDummy" value="other">Translation  
needed in

<input type="text" size="20" name="Translation Language"> language.<BR>

<IMG SRC="./images/blank.gif" WIDTH=18 HEIGHT=2 BORDER=0>

(Note: Translation only will be faxed to you for approval.)

<PRE><BR></PRE>

</TD>

</TR><TR>

**FIG. 8-6**

```

<TD></TD>
<TD COLSPAN=2>Back of Card Language(Optional)</TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>
<input type="radio" name="TranslationBackDummy" value="english" checked>
Produce as typed.<BR>
<input type="radio" name="TranslationBackDummy" value="other">Translation
needed in
<input type="text" size="20" name="Translation Back Language"> language.<BR>
<IMG SRC=".//images/blank.gif" WIDTH=18 Height=2 Border=0>
(Note: Translation only will be faxed to you for approval.)
<PRE><BR></PRE>
</TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>Back of Card Information(Optional)</TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><TEXTAREA NAME="Back of Card Info" ROWS=10,
COLS=50></TEXTAREA>
</TD>

</TR><TR>

<TD COLSPAN=3><hr size=1></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>Special Instructions:</TD>

</TR><TR>

```

FIG. 8-7

```

<TD></TD>
<TD COLSPAN=2><input type="text" size="70" name="Special Instructions"></TD>

</TR><TR>
<TD COLSPAN=3><hr size=1></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><b>Shipping Info:</b></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><b>Is shipping info same as order info?:</b></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><input type="radio" checked name="ShipSameAsOrder" value="Yes">
Yes
<input type="radio" name="ShipSameAsOrder" value="No">No<BR>
<b>&quot;If no, Please fill out information below.&quot;</b></TD>

</TR><TR>

<TD></TD>
<TD>Ship To Name:</TD>
<TD><input type="text" size="50" name="ShipName"></TD>

</TR><TR>

<TD></TD>
<TD>Ship Address:</TD>
<TD><input type="text" size="60" name="ShipAddress"></TD>

</TR><TR>

<TD></TD>
<TD>Ship City:</TD>
<TD><input type="text" size="30" name="ShipCity"></TD>

```

FIG. 8-8

```

</TR><TR>

<TD></TD>
<TD>Ship State:</TD>
<TD><input type="text" size="3" name="ShipState"></TD>

</TR><TR>
<TD></TD>
<TD>Ship Zip Code:</TD>
<TD><input type="text" size="11" name="ShipZip"></TD>

</TR><TR>

<TD COLSPAN=3><hr size=1></TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2><b>Billing Info:</b>A request for your billing information will be sent
to you shortly.</b></TD>

</TR><TR>

<TD COLSPAN=3><hr size=1></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>
<input type="submit" name="-new" value="Verify Order">&nbsp;&nbsp;&nbsp;
<input type="reset" value="Clear Form">
</TD>

</TR></TABLE>

</form>

```

FIG. 8-9

```
</body>  
</html>
```

**FIG. 8-10**

```
tell application "FileMaker Pro"
    activate
    open "Set the path name to the file you are opening"
        do script FileMaker script "Type name of script here"
end tell

tell application "Finder"
    if exists file "Set Path and File Name" then
        tell application "Finder"
            activate
            select file "File Name goes here" of folder "Set
Folder Path" of startup disk
            open selection
        end tell
        tell application "FileMaker Pro"
            activate
            do script FileMaker script "Name of Import Script"
            of window "Set File maker Pro File Name"
        end tell
    end if
end tell
```

FIG. 9

FIG. 10-1

FIG. 10-2

FIG. 10-3

FIG. 10-4

FIG. 10-5

**FIG. 10**

Script Step/Options	Script Parameters
<b>Copy</b>	SpareGlobalNum
Select entire contents	
<b>Import Records</b>	Filename: "████████" (Administration)
Restore import order	Import Order:
No dialog	<u>Date Created</u> (Date) <u>Date Modified</u> (Date) <u>Record Number</u> (Number) <u>Name</u> (Text) <u>Email</u> (Text) <u>Title</u> (Text) <u>Address1</u> (Text) <u>State</u> (Text) <u>Zip Code</u> (Text) <u>Country</u> (Text) <u>DirectDial</u> (Text) <u>Time Created</u> (Time) <u>City</u> (Text) <u>Item Ordered</u> (Text) <u>Quantity Ordered</u> (Text) <u>Webaddress</u> (Text) <u>Address2</u> (Text) <u>Title2</u> (Text) <u>Fax</u> (Text) <u>Pager</u> (Text) <u>Empty</u> (Text) <u>Translation needed?</u> (Text) <u>Translation Language</u> (Text) <u>Sector Name</u> (Text) <u>ShipName</u> (Text) <u>ShipAddress</u> (Text) <u>ShipCity</u> (Text) <u>ShipState</u> (Text) <u>ShipZip</u> (Text) <u>ShipSameAsOrder</u> (Text) <u>IPAddress</u> (Text) <u>LegalEntity</u> (Text) <u>Mobile</u> (Text) <u>ShipCountry</u> (Text)

FIG. 10-1

Script Step/Options	Script Parameters
	<u>View Record Number</u> (Number)
	<u>Tagline Translation</u> (Text)
	<u>Tagline Translation Language</u> (Text)
	<u>TitleInstructions</u> (Text)
	<u>EmailInstructions</u> (Text)
	<u>Special Instructions</u> (Text)
	<u>SpareNum2</u> (Number)
	<u>SpareGlobalText</u> (Text)
	<u>SpareGlobalNum</u> (Number)
	<u>SpareGlobalDate</u> (Date)
	<u>SpareGlobalTime</u> (Time)
	<u>SpareDate1</u> (Date)
	<u>SpareDate2</u> (Date)
	<u>SpareTime1</u> (Time)
	<u>SpareTime2</u> (Time)
	<u>Translation Faxnumber</u> (Text)
	<u>Address3</u> (Text)
	<u>Group Name</u> (Text)
	<u>████████</u> (Text)
	<u>FAEC Comments</u> (Text)
	<u>Record Modified</u> (Text)
	<u>SenttoFilm</u> (Text)
	<u>SenttoFilmDate</u> (Date)
	<u>UserInputInitials</u> (Text)
	<u>UserModifiedInitials</u> (Text)
	<u>JobTicket</u> (Text)
	<u>PlateRefNum</u> (Text)
	<u>Address4</u> (Text)
	<u>InternationalCode</u> (Text)
	<u>LocalCode</u> (Text)
	<u>SpareText1</u> (Text)
	<u>SpareText2</u> (Text)
<b>GO to Record/Request/Page</b>	
First	
<b>Loop</b>	
If	Calculation Quantity Ordered="500"
<b>Set Field</b>	Quantity Ordered

FIG. 10-2

Script Step/Options	Script Parameters
	Calculation "250"
Duplicate Record/Request	
Goto Record/Request/Page First	
Else	
If	Calculation Quantity Ordered="1000"
Set Field	Quantity Ordered Calculation "250"
Duplicate Record/Request	
Duplicate Record/Request	
Duplicate Record/Request	
Go to Record/Request/Page First	
Else	
Go to Record/Request/Page Next Exit after last	
End If	
End If	
End Loop	
Paste Select entire contents	SpareGlobalNum
If	Calculation Status(CurrentFoundCount) ≠ 25

FIG. 10-3

Script Step/Options	Script Parameters
New Record/Request	
Set Field	Name Calculation "Dummy Record"
Set Field	Address1 Calculation "Dummy Record"
Go to Record/Request/Page	
First	
End If	
If	Calculation Sector Name=" [REDACTED]" or Sector Name=" [REDACTED]" [REDACTED] or Sector Name=" [REDACTED]" or Sector Name=" [REDACTED]" " [REDACTED]" or Sector Name=" [REDACTED]" or Sector Name=" [REDACTED]" [REDACTED] or Sector Name=" [REDACTED]" or Sector Name=" [REDACTED]" Sector Name=" [REDACTED]" or Sector Name=" [REDACTED]" " [REDACTED]" or Sector Name=" [REDACTED]" " [REDACTED]" or Sector Name= Empty
Perform Script	[REDACTED]
Sub-scripts	
Else	
If	Calculation Sector Name= [REDACTED]
Perform Script	[REDACTED]
Sub-scripts	
Else	
If	Calculation Sector Name= [REDACTED]
Perform Script	[REDACTED]

FIG. 10-4

Script Step/Options	Script Parameters
Sub-scripts	
Else	
If	Calculation Sector Name="██████████"
Perform Script	██████████
Sub-scripts	
End If	
Find All	

FIG. 10-5




FIG. 1

```

Go to Layout [ "Quick Find" ]
Enter Find Mode [ ]
Set Field [ "SentToFilm" , "="" ]
Set Field [ "ItemOrdered" , "Business Cards" ]
Set Field [ "RecordStatus" , "OK" ]
Set Field [ "BillToNum" , "0157acsc" ]
Paste Literal [Select, "CreationDate" , "<=" ]
Paste Current Date [ "CreationDate" ]
Perform Find [ ]
If [ "Status(CurrentFoundCount) = 0" ]
    Perform Script [Sub-scripts , "FindforLithoTypeset Part 2" ]
Else
End if
Loop
If [ "Qty = 250 or Qty = 100" ]
Else
    If [ "Qty = 500" ]
        Set Field [ "SpareText5" , "Qty" ]
        Set Field [ "Qty" , "250" ]
        Duplicate Record/Request
        Set Field [ "JobTicket" , "Dummy" ]
        Go to Record/Request/Page [First]
    Else
        If [ "Qty = 1000" ]
            Set Field [ "SpareText5" , "Qty" ]
            Set Field [ "Qty" , "250" ]
            Duplicate Record/Request
            Set Field [ "JobTicket" , "Dummy" ]
            Duplicate Record/Request
            Duplicate Record/Request
            Set Field [ "JobTicket" , "Dummy" ]
            Duplicate Record/Request
            Duplicate Record/Request
            Go to Record/Request/Page [First]
        End If
    End If
End If
End Loop
If [ "Status(CurrentFoundCount) = 6 or Status(CurrentFoundCount) > 6" ]

```

FIG. 12-1

FIG. 12-2

**FIG. 12**

**FIG. 12-1**

```
Pause/Resume Script []
Go to Record/Request/Page [First]
Perform Script [Sub-scripts , "Create Litho BCard Job Ticket "]
Else
    Perform Script [Sub-scripts , "FindforLithoTypeset Part 2 "]
End If
```

**FIG. 12-2**

FIG. 13-1

FIG. 13-2

FIG. 13-3

FIG. 13-4

FIG. 13-5

FIG. 13-6

FIG. 13-7

FIG. 13-8

FIG. 13-9

FIG. 13-10

FIG. 13-11

FIG. 13-12

**FIG. 13**

Script Step/ Options	Script Parameters
<b>Go to Record/Request/Page</b>	
First	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today
<b>Set Field</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard01 Wait for reply Bring application to foreground
<b>Send Apple Event</b>	
<b>Go to Record/Request/Page</b>	
Next	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today
<b>Set Field</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard02 Wait for reply Bring application to foreground
<b>Send Apple Event</b>	
<b>Go to Record/Request/Page</b>	
Next	
<b>Set Field</b>	PlateRefNum Calculation

**FIG. 13-1**

Script Step/Options	Script Parameters
Set Field	<pre>If(Sector Name="████████",SpareGlobalNum+1&amp; ████████",SpareGlobalNum+1) SenttoFilmDate Calculation Today</pre>
Send Apple Event	<p>Event Specification:</p> <pre>Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard03 Wait for reply Bring application to foreground</pre>
Go to Record/Request/Page	
Next	
Set Field	<pre>PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1&amp; ████████",SpareGlobalNum+1) SenttoFilmDate Calculation Today</pre>
Send Apple Event	<p>Event Specification:</p> <pre>Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard04 Wait for reply Bring application to foreground</pre>
Go to Record/Request/Page	
Next	
Set Field	<pre>PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1&amp; ████████",SpareGlobalNum+1) SenttoFilmDate Calculation Today</pre>
Set Field	

FIG. 13-2

Script Step/Options	Script Parameters
<b>Send Apple Event</b>	Event Specification: Application:Adobe PageMaker @6.5 Event Class:misc Event ID:dosc Field:BCard05 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b> Next	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe@PageMaker @6.5 Event Class:misc Event ID:dosc Field:BCard06 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b> Next	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe@PageMaker @6.5 Event Class:misc Event ID:dosc Field:BCard07

**FIG. 13-3**

Script Step/Options	Script Parameters
	Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████, SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard08 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████, SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard09 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	

FIG. 13-4

Script Step/Options	Script Parameters
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard10 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b> Next	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard11 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b> Next	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate

**FIG. 13-5**

Script Step/Options	Script Parameters
<b>Send Apple Event</b>	Calculation Today Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard12 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard13 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc

FIG. 13-6

Script Step/Options	Script Parameters
	Event ID:dosc Field:BCard14 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard15 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard16 Wait for reply Bring application to foreground

**FIG. 13-7**

Script Step/Options	Script Parameters
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard17 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard18 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1&

**FIG. 13-8**

Script Step/Options	Script Parameters
Set Field	If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard19 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today
Set Field	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard20 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today
Set Field	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1) SentoFilmDate Calculation Today

FIG. 13-9

Script Step/Options	Script Parameters
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard21 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard22 Wait for reply Bring application to foreground
<b>Go to Record/Request/Page</b>	
<b>Next</b>	
<b>Set Field</b>	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
<b>Set Field</b>	SenttoFilmDate Calculation Today
<b>Send Apple Event</b>	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard23

**FIG. 13-10**

Script Step/Options	Script Parameters
	Wait for reply Bring application to foreground
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard24 Wait for reply Bring application to foreground
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum Calculation If(Sector Name="████████",SpareGlobalNum+1& ████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard25 Wait for reply Bring application to foreground
Go to Record/Request/Page	
First	

Script Step/Options	Script Parameters
<b>Omit Multiple</b>	25
<b>No dialog</b>	
<b>Set Field</b>	SpareGlobalNum Calculation SpareGlobalNim+1

FIG. 13-12

```
"measureunits 3,3,10" &"||" &
"select 2p5, 1p9" &"||" &
"textedit" &"||" &
"selectall" &"||" &
If(Name ≠ Empty, "textenter " & Quote & NameTitle & Quote
&"||", "textenter " & Quote & " " & Quote & "||") &
"textcursor -textblock" &"||" &
"textselect +eol" &"||" &
"font " & Quote & "BI Garamond BoldItalic" & Quote & "||" &
"select 12p10, 4p6" &"||" &
"textedit" &"||" &
"selectall" &"||" &
"textenter " & Quote & Trim(AddressBCardLthd) & Quote &"||" &
"select 2p9, 10p10" &"||" &
"textedit" &"||" &
"selectall" &"||" &
"textenter " & Quote & If(EDSTagLine = Empty, " ", EDSTagLine) &
Quote &"||"
"printoptionsps normalimage, off, off, fast, on, off, off,
off, off" &"||" &
"print1(1,1)" &"||" &
"close",
Empty)
```

FIG. 14




FIG. 15

```

If [ "Status(CurrentFoundCount) = 6 " ]
  Perform Script [Sub-scripts , "CountFor6 "]
Else
  If [ "Status(CurrentFoundCount) = 7 " ]
    Perform Script [Sub-scripts , "CountFor7 "]
  Else
    If [ "Status(CurrentFoundCount) = 8 " ]
      Perform Script [Sub-scripts , "CountFor8 "]
    Else
      If [ "Status(CurrentFoundCount) = 15 " ]
        Perform Script [Sub-scripts , "CountFor14 "]
      Else
        If [ "Status(CurrentFoundCount) ≥ 16 " ]
          Perform Script [Sub-scripts , "AutoTypeLithoCards "]
        End If
      End If
    End If
  End If
End If

```

FIG. 15-1

Go to Record/Request/Page [First]  
Duplicate Record/Request  
Set Field ["JobTicket", " "Dummy" "]  
Go to Record/Request/Page [No dialog , By Number...]  
Duplicate Record/Request  
Set Field [ "JobTicket" , " "Dummy" "]  
Go to Record/Request/Page [No dialog , By Number...]  
Duplicate Record/Request  
Set Field [ "JobTicket" , " "Dummy" "]  
Go to Record/Request/Page [No dialog , By Number...]  
Duplicate Record/Request  
Set Field [ "JobTicket" , " "Dummy" "]  
Go to Record/Request/Page [No dialog , By Number...]  
Duplicate Record/Request  
Set Field [ "JobTicket" , " "Dummy" "]  
Go to Record/Request/Page [No dialog , By Number...]

**FIG. 15-2**

New Record/Request  
Set Field [ "JobTicket" , "Dummy" ]  
Set Field [ "FirstName" , "ZZDummy" ]  
Set Field [ "City" , "ZZDummy" ]  
Set Field [ "Address1" , "Dummy" ]  
Sort [Restore , No dialog]  
Perform Script [Sub-scripts , "AutoTypeLithoCards" ]

**FIG. 15-3**

```
Set Error Capture [On]
Go to Layout [ "Data Entry Form" ]
Enter Find Mode []
Paste Literal [Select , "ExportedToJobTicket" , "=" ]
Perform Find []
If [ "Status(CurrentFoundCount) > 0" ]
    Export Records []
    Go to Record/Request/Page [First]
    Paste Literal [Select , "ExportedToJobTicket" , "x" ]
    Replace [ "ExportedToJobTicket" , "Current contents" ]
Else
    Beep
    Show Message [ "There are no Business Cards to Export!!! " ]
End If
Find All
Go to Layout [original layout ]
```